

## ***Aechmea* spp.: Bromeliad, Aechmea, Vase Plant<sup>1</sup>**

Keighly Graves, Wendy Wilber, Tom Wichman, Claire Lewis, Gail Hansen, and Ryan Klein<sup>2</sup>

<https://ffl.ifas.ufl.edu/>

*This document is part of a series originally authored by Edward Gilman.*

### **Introduction**

*Aechmea* is a genus of plants commonly referred to as bromeliads, or vase plants, which contains over 250 species native to regions across tropical America. *Aechmea* is a vase-shaped epiphytic herbaceous perennial that has attractive silver, green, or variegated foliage, which differs depending upon the species (Figure 1). The spiny evergreen leaves are arranged in a basal rosette. An ornamentally showy flower stalk emerges from the rosette during the spring (Figure 2). The flower stalk is composed of a cluster of showy colorful bracts, and small purple-blue or yellow flowers are located within the bracts. It is the long-lasting bracts that are the most noticeable part of the flower stalk. These bracts come in a variety of colors including yellow, orange, red, pink, and combinations of these colors. The inflorescence makes for a long-lived addition in cut flower arrangements. This plant is excellent for use as a groundcover or mass planting, may be used in containers or above ground planters, or makes a suitable houseplant.




Figure 1. Full form—*Aechmea chantinii*: Amazonian zebra plant growing epiphytically on a tree.  
Credit: Robert via Adobe Stock



Figure 2. Flower—*Aechmea fasciata*: silver urn bromeliad.  
Credit: StepPro via Adobe Stock

## General Information

**Scientific name:** *Aechmea* spp.

**Pronunciation:** eek-MEE-uh species

**Common name(s):** Aechmea, bromeliad, vase plant

**Family:** *Bromeliaceae*

**Plant type:** perennial; herbaceous

**USDA hardiness zones:** 9B through 11B (Figures 3 and 4)

USDA Hardiness Zones 9B-11A




Figure 3. Shaded area represents potential planting zone—USDA Hardiness Zones 9B–11A; 11B within planting zone but not pictured on map. Credit: This map is based on the 2023 USDA Plant Hardiness Zone Map. Visit <https://planthardiness.ars.usda.gov/> for specific zone information.

## USDA Hardiness Zones 9B-11A




Figure 4. Shaded area represents potential planting zone in the SE Region—USDA Hardiness Zones 9B–11A; 11B within planting zone but not pictured on map.

Credit: This map is based on the 2023 USDA Plant Hardiness Zone Map. Visit <https://planthardiness.ars.usda.gov/> for specific zone information.

**Planting month for zones 10 and 11:** year-round

**Origin:** not native to North America

**Invasive potential:** not known to be invasive

**Uses:** mass planting; container or above-ground planter; groundcover; suitable for growing indoors

**Availability:** somewhat available, may have to go out of the region to find the plant

## Description

**Height:** 2 to 4 feet; dependent upon species

**Spread:** 1 to 2 feet; dependent upon species

**Plant habit:** vase shape

**Plant density:** open

**Growth rate:** slow

**Texture:** coarse

## Foliage

**Leaf arrangement:** basal rosette

**Leaf type:** simple

**Leaf margin:** spiny or serrate

**Leaf shape:** elliptic (oval)

**Leaf venation:** parallel

**Leaf type and persistence:** evergreen

**Leaf blade length:** 18 to 36 inches

**Leaf color:** green; silver; bronze; variegated; dependent upon species

**Fall color:** no fall color change

**Fall characteristic:** not showy

## Flower

**Flower color:** purple-blue; yellow

**Flower characteristic:** spring flowering; monocarpic (flowering once); produces small offshoot plants at base called pups

## Fruit

**Fruit shape:** no fruit

**Fruit length:** no fruit

**Fruit cover:** no fruit

**Fruit color:** not applicable

**Fruit characteristic:** inconspicuous and not showy

## Trunk and Branches

**Trunk/bark/branches:** usually with one stem/trunk

**Current year stem/twig color:** not applicable

**Current year stem/twig thickness:** not applicable

## Culture

**Light requirement:** plant grows in part shade/part sun

**Soil tolerances:** slightly alkaline; acidic; clay; sand; loam

**Drought tolerance:** high

**Soil salt tolerance:** poor

**Plant spacing:** 18 to 24 inches

## Other

**Roots:** not applicable

**Winter interest:** no special winter interest

**Invasive potential:** not known to be invasive

**Pest resistance:** no serious pests are normally seen on the plant

## Use and Management

*Aechmea* grows best in partial shade in moisture-retentive but well-drained soil. It can also be successfully grown epiphytically, or without soil, with moss around its roots. To grow this plant epiphytically, attach it to the branches of rough-barked trees where its cupped rosette will catch the water it needs. A groundcover or mass planting of this bromeliad in front of a green-foliaged shrub grouping provides a bright accent for a partially shaded spot. The plants should be spaced 18 to 24 inches apart for an effective groundcover. This plant also makes an excellent container plant or houseplant. Bromeliads are tough plants that require minimal care and are very drought tolerant once they become established.

Plants are monocarpic, flowering only once before desiccating. Plants often produce offshoot plants called pups. Pups may be planted elsewhere or left in place. Propagation is by division of the offsets or by seed.

## Design Considerations





The bold form and coarse texture of the bromeliad make it perfect for containers and highly visible spaces in the landscape. Use with plants that are softer with small foliage and mounding or spreading forms. Pair with plants that have more texture in the foliage to contrast with the smooth leaves of the bromeliad. Use plants with no flowers or small to medium flowers with cool bright colors to contrast with the bright red and orange. Complementary colors include cool colors such as purples and blues. Use large masses of companion plants around the base or in front of the bromeliads when they are planted in a mass.


## Pests and Diseases

Pest issues include scale. No diseases of major concern.

Root rot is a problem if the soil is kept too moist. No irrigation is needed to maintain the plants once they are established. Other problems include mosquitoes, which may breed in the trapped water in the leaves. Flush the cups, or interior spaces where water gathers, if mosquitoes become an issue in the landscape.

Table 1. Common *Aechmea* species and their traits.

Species	Image	Size (H x W)	Traits
<i>Aechmea blanchetiana</i> : orangeade bromeliad		2-4' H x 1-4' W	Orangeade bromeliad is a larger <i>Aechmea</i> species, notable for its bright orange evergreen leaves
<i>Aechmea chantinii</i> : Amazonian zebra plant		1-3' H x 2-3' W	Notable for highly variegated green and light-yellow foliage, produces a showy flower spike
<i>Aechmea gamosepala</i> : matchstick bromeliad		1-1.5' H x 1-2' W	Notable for the pink and purple match-like inflorescence
<i>Aechmea distichantha</i> : Brazilian vase plant		2-3' H x 1-2' W	This species has narrow leaves and a salmon-colored flower spike

Species	Image	Size (H x W)	Traits
<i>Aechmea fasciata</i> : silver vase plant		1-3' H x 1-2' W	Notable for foliage variegated with silvery bands and large pink flower spikes

Credits: *Aechmea blanchetiana*: Keighly Graves, UF/IFAS; *Aechmea chantinii*: Robert via Adobe Stock; *Aechmea gamosepala*: Angela via Adobe Stock; *Aechmea distichantha*: Edward F. Gilman, UF/IFAS; *Aechmea fasciata*: vrabelpeter1 via Adobe Stock

<sup>1</sup> This document is FPS14, one of a series of the Department of Environmental Horticulture, UF/IFAS Extension. Original publication date October 1999. Revised November 2017 and October 2025. Visit the Ask IFAS website at <https://ask.ifas.ufl.edu/> for the currently supported version of this publication. To learn more about creating and maintaining attractive landscapes that protect Florida's water and natural resources, visit [fl.ifas.ufl.edu/](http://fl.ifas.ufl.edu/).

<sup>2</sup> Keighly Graves, horticultural science specialist, Florida-Friendly Landscaping™ Program; Wendy Wilber, state program coordinator and Extension agent IV, UF/IFAS Extension Master Gardener Volunteer Program; Tom Wichman, Extension program manager, Florida-Friendly Landscaping™ Program, UF/IFAS Center for Land Use Efficiency; Claire Lewis, state specialized agent II and director Florida-Friendly Landscaping™ Program, UF/IFAS Center for Land Use Efficiency; Gail Hansen, professor, sustainable landscape design, Department of Horticultural Sciences; Ryan Klein, assistant professor, arboriculture, School of Forest, Fisheries, and Geomatics Sciences; UF/IFAS Extension, Gainesville, FL 32611.

The Institute of Food and Agricultural Sciences (IFAS) is an Equal Opportunity Institution authorized to provide research, educational information, and other services only to individuals and institutions that operate in compliance with applicable federal and state non-discrimination laws and policies. For more information on obtaining other UF/IFAS Extension publications, contact your county's UF/IFAS Extension office. U.S. Department of Agriculture, UF/IFAS Extension Service, University of Florida, IFAS, Florida A&M University Cooperative Extension Program, and Boards of County Commissioners Cooperating. Andra Johnson, Dean for UF/IFAS Extension.