

# Facts about Flavonoids<sup>1</sup>

Inbar Schapsis and Wendy J. Dahl<sup>2</sup>

## What Are Flavonoids?

Flavonoids are organic compounds that occur naturally in plants. More than five thousand flavonoid compounds exist in nature, but those found in foods fall into six major categories: flavonols, anthocyanidins, isoflavones, flavan-3-ols, flavones, and flavonones (Erdman et al. 2007). Flavonoids are of interest because of their potential health benefits. Higher intakes of flavonoids are associated with a decreased risk of all-cause and cardiovascular mortality (Grosso et al. 2017).

## Flavonols (FLAY-vo-nols)

Flavonols are the most commonly known and widespread flavonoids found in food (Erdman et al. 2007). Studies have shown that consuming foods rich in flavonols may lower the risk of cardiovascular disease (Peterson et al., 2012; Grosso et al., 2017). Flavonols can be found in small amounts in various fruits and vegetables, although some foods are better sources than others. Some of the best-known sources of flavonols are listed in Table 1 (Bhagwat, Haytowitz, and Holden 2013).



Figure 1.

Credit: Maryna Pleshkun/iStock/Thinkstock.com

## Anthocyanidins (AN-tho-sigh-an-ah-dins)

Anthocyanidins are the compounds that give many fruits and vegetables their red, blue, or purple color. These are antioxidants thought to protect the body from free radicals. Free radicals are unstable molecules that damage healthy cells. An imbalance between free radicals and the body's ability to protect itself against these damaging

particles results in oxidative stress. Anthocyanidins function as potent antioxidants by neutralizing free radicals (Erdman et al. 2007). This reduces the oxidative stress on the body and cellular damage. For more information on antioxidants, see the Ask IFAS publication *Facts about Antioxidants* (<https://ask.ifas.ufl.edu/publication/FS242>).

The anthocyanidin content of fruits and vegetables is highest in the fresh/raw form of these foods. For example, cranberries have a very high anthocyanidin content, but cranberry sauce and cranberry juice or cocktail contain very low amounts. This is mainly because the heat used in cooking and processing greatly reduces the flavonoid content of foods. Additionally, the production of fruit juice typically involves steps designed to remove flavonoids in order to prevent discoloration (Manach et al. 2004). The best-known sources of anthocyanidins are listed in Table 2 (Bhagwat et al. 2013).



Figure 2.

Credit: Carly Hennigan/iStock/Thinkstock

## Isoflavones (I-so-FLAY-vones)

Isoflavones are found mostly in soybeans and soy products, such as soy milk and tofu (Bhagwat, Haytowitz, and Holden 2008). Isoflavones exhibit anti-inflammatory, antioxidant, anticancer, and antimicrobial effects. As inflammation is involved in many chronic diseases, such as heart disease, isoflavones may have a role in the prevention of some chronic diseases (Yu et al. 2016). However, potential negative effects of high intake are also being studied (Yu et al. 2016); isoflavones are not

associated with increased risk of breast cancer and instead, may decrease risk (Zhao et al. 2019). The isoflavone contents of some popular foods are listed in Table 3 (Bhagwat et al. 2008).

### Flavan-3-ols (FLAY-vahn-three-ols)

Similar to other flavonoids, flavan-3-ols, from green tea and cocoa products, are known for their anti-inflammatory effects (Mena et al. 2014). The common sources for flavan-3-ols are listed in Table 4 (Bhagwat et al. 2013).



Figure 3.

Credit: [wavebreakmedia/iStock/Thinkstock.com](https://www.wavebreakmedia.com/iStock/Thinkstock.com)

While black tea, red wine, and dark chocolate contain flavan-3-ols, they should be consumed in moderation. For example, due to the caffeine content of tea, drinking more than five cups of black tea per day may cause unwanted side effects. These effects may include headaches, vomiting, and diarrhea (MedlinePlus 2012).

Consuming too much wine can also have negative effects due to the alcohol content. The Dietary Guidelines for Americans 2020-2025 recommend that if alcohol is consumed, it should be in moderation, which is defined as one glass per day for women and two glasses per day for men (USDHHS and USDA 2020). Women who are pregnant and people with certain chronic diseases, such as liver disease or pancreatitis, are advised to avoid alcohol.

Dark chocolate, while rich in flavan-3-ols such as catechins (Kerimi and Williamson 2015), is high in fat and calories. To get the most from chocolate while avoiding excess energy intake, limit yourself to small, bite-sized pieces of chocolate and opt for dark chocolate over milk chocolate.

### Flavones and Flavanones

Parsley contains high levels of flavones whereas flavanones, are found primarily in citrus fruits (Bhagwat, Haytowitz, and Holden 2013). As with other flavonoids, flavones and flavanones are associated with protection against heart disease (Grosso et al. 2017)

## Take-Home Message

A diet containing foods high in flavonoids may reduce the risk of cardiovascular disease. However, further research is needed before specific intake recommendations can be made. To reap the potential benefits of flavonoids, choose fruits and vegetables known to be good sources of flavonoids and follow the US Dietary Guidelines for Americans, which recommend eating fruits and vegetables every day (USDHHS and USDA 2020). An easy way to accomplish this is by aiming to make half of your plate fruits and vegetables (USDA and CNPP 2011).

## References

- Bhagwat, S., D. B. Haytowitz, and J. M. Holden. 2008. *USDA Database for the isoflavone content of selected foods release 2.0*. Beltsville, Maryland: U.S. Department of Agriculture.
- Bhagwat, S., D. B. Haytowitz, and J. M. Holden. 2013. *USDA Database for the flavonoid content of selected foods release 3.1*. Beltsville, Maryland: U.S. Department of Agriculture.
- Erdman, J. W., Jr., D. Balentine, L. Arab, G. Beecher, J. T. Dwyer, J. Folts, J. Harnly, et al. 2007. "Flavonoids and heart health: proceedings of the ILSI North America Flavonoids Workshop, May 31–June 1, 2005, Washington, DC." *Journal of Nutrition* 137 (3 Suppl 1): 718s–37s.  
<https://doi.org/10.1093/jn/137.3.718S>
- Grosso, G., A. Micek, J. Godos, A. Pajak, S. Sciacca, F. Galvano, and E. L. Giovannucci. 2017. "Dietary flavonoid and lignan intake and mortality in prospective cohort studies: Systematic review and dose-response meta-analysis." *American Journal of Epidemiology*:1-13.  
<https://doi.org/10.1093/aje/kww207>
- Kerimi, A. and G. Williamson. 2015. "The cardiovascular benefits of dark chocolate." *Vascular Pharmacology* 71:11–15.  
<https://doi.org/10.1016/j.vph.2015.05.011>
- Manach, C., A. Scalbert, C. Morand, C. Remesy, and L. Jimenez. 2004. "Polyphenols: food sources and bioavailability." *American Journal of Clinical Nutrition* 79 (5):727–47.  
<https://doi.org/10.1093/ajcn/79.5.727>
- MedlinePlus 2012. Black Tea.  
<https://medlineplus.gov/druginfo/natural/997.html>. Accessed June 6, 2022.

- Mena, P., R. Dominguez-Perles, A. Girones-Vilaplana, N. Baenas, C. Garcia-Viguera, and D. Villano. 2014. "Flavan-3-ols, anthocyanins, and inflammation." *IUBMB Life* 66 (11):745-58.  
<https://doi.org/10.1002/iub.1332>
- Peterson, J. J., J. T. Dwyer, P. F. Jacques, and M. L. McCullough. 2012. "Associations between flavonoids and cardiovascular disease incidence or mortality in European and US populations." *Nutrition Reviews*, 70, 491-508.  
<https://doi.org/10.1111/j.1753-4887.2012.00508.x>
- US Department of Agriculture. Center for Nutrition Policy and Promotion. 2012. "MyPlate Graphics."  
<https://www.fns.usda.gov/tn/myplate>
- US Department of Health and Human Services and US Department of Agriculture. (USDHHS and USDA). 2020. *2020-2025 Dietary Guidelines for Americans. 9th Edition.*  
[https://www.dietaryguidelines.gov/sites/default/files/2020-12/Dietary\\_Guidelines\\_for\\_Americans\\_2020-2025.pdf](https://www.dietaryguidelines.gov/sites/default/files/2020-12/Dietary_Guidelines_for_Americans_2020-2025.pdf). Accessed March 16, 2021.
- Yu, J., X. Bi, B. Yu, and D. Chen. 2016. "Isoflavones: Anti-inflammatory benefit and possible caveats." *Nutrients* 8 (6).  
<https://doi.org/10.3390/nu8060361>
- Zhao, Ting-Ting, Feng Jin, Ji-Guang Li, Ying-Ying Xu, Hui-Ting Dong, Qun Liu, Peng Xing, Guo-Lian Zhu, Hao Xu, and Zhi-Feng Miao. 2019. "Dietary isoflavones or isoflavone-rich food intake and breast cancer risk: a meta-analysis of prospective cohort studies." *Clinical Nutrition* 38 (1): 136-145.  
<https://doi.org/10.1016/j.clnu.2017.12.006>

Table 1. Flavonol content\*

Food Source	Flavonols (mg/serving)
Kale, 1 cup	62
Onions, raw, 1 cup	42
Broccoli, raw, 1 cup	10
Apple, with skin, 1 small (4 oz.)	6
mg = milligrams; oz = ounces	
*Source: USDA Database for the Flavonoid Content of Selected Foods Release 3.1	

Table 2. Anthocyanidin content\*

Food Source	Anthocyanidins (mg/serving)
Blueberries, fresh, 1 cup	242
Sweet cherries, fresh, 1 cup	110
Cranberries, fresh, 1 cup	101
Red cabbage, raw, 1 cup	65
mg = milligrams	
*Source: USDA Database for the Flavonoid Content of Selected Foods Release 3.1	

Table 3. Isoflavone content\*

Food Source	Isoflavones (mg/serving)
Soynuts (dry roasted, mature soybeans), 1/2 cup	69
Tofu, fried, 4 oz.	39
Edamame (cooked green soybeans), 1 cup	28
Soymilk, original or vanilla flavor, 1 cup	26
mg = milligrams; oz = ounces	
*Source: USDA Database for the Isoflavone Content of Selected Foods Release 2.0	

Table 4. Flavan-3-ols content\*

Food Source	Flavan-3-ols (mg/serving)
Black tea, brewed, 1 cup	273
Blueberries, fresh, 1 cup	38
Dark chocolate, 1 oz.	30
Red wine (Cabernet Sauvignon), 5 oz. glass	27
mg = milligrams; oz = ounces	
*Source: USDA Database for the Flavonoid Content of Selected Foods Release 3.1	

<sup>1</sup> This document is FSHN14-04, one of a series of the Department of Food Science and Human Nutrition, UF/IFAS Extension. Original publication date February 2014. Revised June 2017, March 2021, and January 2026. Visit the Ask IFAS website at <https://ask.ifas.ufl.edu/> for the currently supported version of this publication.

<sup>2</sup> Inbar Schapsis, former graduate student, Department of Food Science and Human Nutrition; Wendy Dahl, professor and Extension specialist, Department of Food Science and Human Nutrition; UF/IFAS Extension, Gainesville, FL 32611.

The Institute of Food and Agricultural Sciences (IFAS) is an Equal Opportunity Institution authorized to provide research, educational information and other services only to individuals and institutions that function with non-discrimination with respect to race, creed, color, religion, age, disability, sex, sexual orientation, marital status, national origin, political opinions or affiliations. For more information on obtaining other UF/IFAS Extension publications, contact your county's UF/IFAS Extension office. U.S. Department of Agriculture, UF/IFAS Extension Service, University of Florida, IFAS, Florida A & M University Cooperative Extension Program, and Boards of County Commissioners Cooperating. Andra Johnson, dean for UF/IFAS Extension.