

Facts about Protein¹

Nicole C. Agro and Wendy J. Dahl²

Protein Basics

Our bodies are made of many proteins. Proteins are made from amino acids, and each protein has its own unique amino acid sequence that determines its shape and function. There are twenty different amino acids. Our bodies can make 11 of the amino acids that are needed to make protein but cannot make the other 9, so we must get them from our diet. These amino acids are considered "essential." Foods that provide high levels of all the essential amino acids are meat, poultry, eggs, fish, milk, cheese, and yogurt. Proteins low in one or more of the essential amino acids include those from plant foods: vegetables, fruits, grains, most legumes, nuts, and seeds. Although it is not necessary to eat foods containing all the essential amino acids at every meal, it is important for good health to ensure that what you eat over the course of the day provides enough of all the essential amino acids and total protein. This is especially true for those who eat only plant sources of protein, such as vegans. If vegans eat a varied diet containing vegetables, legumes, grains, nuts, and seeds, they should have no problem getting enough of each of the essential amino acids and meeting their protein needs.



Figure 1.
Credit: istockphoto.com

Role of Proteins in the Body

Proteins have many functions in the body. For example, proteins help with digestion. They also help with the formation of red blood cells that deliver oxygen to our cells. They provide the framework and support for muscles, bones, skin, cartilage, hair, nails, teeth, and skin. Proteins also help the body fight infections.

Recommended Intake

The Recommended Dietary Allowance (RDA) for protein is 0.8 grams of protein for every 2.2 pounds (1 kilogram) of body weight for adult men and women who are not pregnant or breastfeeding. Table 1 lists estimated RDAs for protein based on reference body weights. Protein needs vary with age, sex, and body weight. Use this equation to calculate your daily protein requirement, in grams: (Your Weight in Pounds/2.2) x 0.8.

Sources of Protein

Sources of protein include meats, poultry, nuts, seeds, seafood, eggs, legumes (beans, peas, and lentils), soy-based foods, dairy foods, and grains. Table 2 lists examples of protein sources and the amount of protein they provide in each serving.

Protein Intake and Your Health

Most people eat more protein than they need without harmful side effects. However, some protein choices can be less healthy than others because they contain saturated fat. Saturated fat raises low-density lipoprotein (LDL) cholesterol levels, increasing the risk of heart disease and stroke. Fatty meats, poultry with the skin, sausage, hot dogs, and bacon are examples of sources of protein that are high in saturated fat. Replacing these options with sources of protein lower in saturated fat intake is recommended (USDA and USDHHS 2020) to lower the risk of heart disease events such as heart attack (Hooper et al. 2020).



Figure 2.
Credit: istockphoto.com

How to Make Healthier Protein Choices

For healthier eating, choose lean or low-fat meat and poultry. Lean beef cuts include top sirloin and chuck shoulders. Lean pork includes pork loin, tenderloin, and ham. Extra-lean ground beef should say "90% lean/10% fat" on the package. When buying chicken and turkey, look for the skinless options. Limit or avoid deli meats due to their high sodium content and potentially high saturated fat content.

Vary your protein choices. Make it a goal to have seafood at least twice a week. Fish containing omega-3 fatty acids may help to reduce the risk of stroke (Hu, Hu, and Manson 2019) and heart disease (Mohan et al. 2021). Choose fish high in omega-3 fatty acids such as salmon, lake trout, mackerel, and herring. Choose unsalted nuts and seeds, such as pecans, almonds, or pumpkin seeds. Using visual cues for portion control will help to control the amount you eat. MyPlate (Figure 3) is a great way to determine the proper amount of protein that should be served (USDA n.d.). Protein foods should take up a little less than $\frac{1}{4}$ of your plate. Dairy foods such as milk, yogurt, and low-fat cheeses are also good sources of protein as are soy-based foods.



Figure 3.
Credit: MyPlate.gov

Summary

There are many sources of dietary protein. Meat, poultry, eggs, fish, and dairy products are sources that provide a high level of essential amino acids that our bodies need. Plant foods such as grains, legumes, nuts, and seeds are also sources of protein. It is best to eat a variety of sources throughout the day to meet your needs. The Recommended Dietary Allowance (RDA) is 0.8 grams of protein for every 2.2 pounds (1 kilogram) of body weight. It is vital to consume the recommended amount of protein daily because proteins have many different roles in the body. Choosing protein sources such as lean meat, skinless poultry, fish, eggs, legumes, and unsalted nuts and seeds is an excellent way to get the protein you need in a healthier way.

References

- Hooper, L., N. Martin, O. F. Jimoh, C. Kirk, E. Foster, and A. S. Abdelhamid. 2020. "Reduction in saturated fat intake for cardiovascular disease." *Cochrane Database Syst Rev* 5 (5):Cd011737. doi:10.1002/14651858.CD011737.pub2.
- Hu, Y., F. B. Hu, and J. E. Manson. 2019. "Marine Omega-3 Supplementation and Cardiovascular Disease: An Updated Meta-Analysis of 13 Randomized Controlled Trials Involving 127 477 Participants." *J Am Heart Assoc* 8 (19):e013543. doi:10.1161/jaha.119.013543.
- Institute of Medicine, Food and Nutrition Board. 2005. *Dietary Reference Intakes for Energy, Carbohydrate, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids*, pp. 339–421. Washington, DC: The National Academies Press.

Mohan, D., A. Mente, M. Dehghan, S. Rangarajan, M. O'Donnell, W. Hu, G. Dagenais, A. Wielgosz, S. Lear, L. Wei, R. Diaz, A. Avezum, P. Lopez-Jaramillo, F. Lanan, S. Swaminathan, M. Kaur, K. Vijayakumar, V. Mohan, R. Gupta, A. Szuba, R. Iqbal, R. Yusuf, N. Mohammadifard, R. Khatib, K. Yusoff, S. Gulec, A. Rosengren, A. Yusufali, E. Wentzel-Viljoen, J. Chifamba, A. Dans, K. F. Alhabib, K. Yeates, K. Teo, H. C. Gerstein, and S. Yusuf. 2021. "Associations of Fish Consumption With Risk of Cardiovascular Disease and Mortality Among Individuals With or Without Vascular Disease From 58 Countries." *JAMA Intern Med* 181 (5):631-649. doi: 10.1001/jamainternmed.2021.0036.

U.S. Department of Agriculture. "Are you making every bite count?" MyPlate. n.d. Retrieved April 2, 2022, from <https://www.myplate.gov/>

U.S. Department of Agriculture and U.S. Agricultural Research Service. n.d. "FoodData Central." <https://fdc.nal.usda.gov/index.html>

U.S. Department of Agriculture and U.S. Department of Health and Human Services. Dietary Guidelines for Americans, 2020-2025. 9th Edition. December 2020. Available at <https://www.dietaryguidelines.gov/>

Table 1. Recommended dietary allowance for protein based on reference body weights.

| Age | Protein (grams/day) |
|--------------------------|---------------------|
| Children 1–3 years | 13 |
| Children 4–8 years | 19 |
| Children ages 9–13 years | 34 |
| Girls 14–18 years | 46 |
| Boys 14–18 years | 52 |
| Women 19–70+ years | 46 |
| Men 19–70+ years | 56 |

Source: Institute of Medicine (2005)

Table 2. Protein content of common foods.

| Source | Foods | Serving Size | Amount of Protein (grams) |
|----------------|---|------------------|---------------------------|
| Meat | beef, pork, lean luncheon or deli meats | 3 ounces, cooked | 23 |
| Poultry | chicken and turkey | 3 ounces, cooked | 26 |
| Nuts and Seeds | almonds, cashews, peanuts, pistachios, pumpkin seeds, sunflower seeds | 1 ounce | 6 |
| Seafood | salmon, tuna, trout, snapper, herring, cod | 3 ounces, cooked | 17 |
| Legumes | black beans, chickpea, kidney beans, lentils | ½ cup | 7 |
| | | ½ cup | 9 |
| Soy Products | tofu, firm | ½ cup | 10 |
| | veggie burger | 1 patty | 11 |
| | tempeh | ½ cup | 15 |
| Milk | whole, 2%, 1%, skim | 1 cup | 8 |
| Grains | grits, yellow | ½ cup, cooked | 1 |
| | brown rice | ½ cup, cooked | 2 |
| | oatmeal | ½ cup, cooked | 3 |
| | quinoa | ½ cup, cooked | 4 |

Source: U.S. Department of Agriculture n.d.

¹ This document is FSHN15-01, one of a series of the Department of Food Science and Human Nutrition, UF/IFAS Extension. Original publication date January 2015. Revised May 2022. Visit the Ask IFAS website at <https://ask.ifas.ufl.edu/> for the currently supported version of this publication.

² Nicole C. Agro; Wendy Dahl, professor and Extension specialist, Department of Food Science and Human Nutrition; UF/IFAS Extension, Gainesville, FL 32611.

The Institute of Food and Agricultural Sciences (IFAS) is an Equal Opportunity Institution authorized to provide research, educational information and other services only to individuals and institutions that function with non-discrimination with respect to race, creed, color, religion, age, disability, sex, sexual orientation, marital status, national origin, political opinions or affiliations. For more information on obtaining other UF/IFAS Extension publications, contact your county's UF/IFAS Extension office. U.S. Department of Agriculture, UF/IFAS Extension Service, University of Florida, IFAS, Florida A & M University Cooperative Extension Program, and Boards of County Commissioners Cooperating. Andra Johnson, dean for UF/IFAS Extension.