

Magnolia acuminata: Cucumbertree¹

Edward F. Gilman and Dennis G. Watson²

Introduction

One of the fastest-growing Magnolias, Cucumbertree is pyramidal when young but becomes broad, oval or rounded with age, ultimately reaching 60 to 80 feet in height with a spread of 35 to 60 feet. Branches on open-grown trees eventually touch the ground if left unpruned, but when lower branches are removed the higher branches normally will not droop to touch the ground. This provides good clearance beneath the tree for pedestrian traffic. Older trees have a stately silhouette, particularly in the winter with branches bare, sporting a number of large-diameter branches growing from a dominant central trunk. The trunk can grow to be five feet thick and the wood has been used, along with Tuliptree (*Liriodendron tulipifera*), for "poorman's walnut."

General Information

Scientific name: *Magnolia acuminata*

Pronunciation: mag-NO-lee-uh ack-yoo-mih-NAY-tuh

Common name(s): Cucumbertree, Cucumber Magnolia

Family: *Magnoliaceae*

USDA hardiness zones: 3B through 8B (Fig. 2)

Origin: native to North America

Invasive potential: little invasive potential

Uses: specimen; shade

Availability: somewhat available, may have to go out of the region to find the tree




Figure 1 . Middle-aged *Magnolia acuminata*: Cucumbertree

Credit: Ed Gilman, UF/IFAS




Figure 2. Range

Description

Height: 60 to 80 feet

Spread: 35 to 60 feet

Crown uniformity: symmetrical

Crown shape: pyramidal, upright/erect

Crown density: dense

Growth rate: fast

Texture: coarse

Foliage




Figure 3. Foliage

Leaf arrangement: alternate (Fig. 3)

Leaf type: simple

Leaf margin: entire, undulate

Leaf shape: elliptic (oval), ovate

Leaf venation: pinnate

Leaf type and persistence: deciduous

Leaf blade length: 4 to 8 inches, 8 to 12 inches

Leaf color: green

Fall color: yellow, brown/tan

Fall characteristic: showy

Flower

Flower color: yellow

Flower characteristics: not showy

Fruit

Fruit shape: elongated

Fruit length: 1 to 3 inches

Fruit covering: dry or hard

Fruit color: red

Fruit characteristics: attracts birds; showy;
fruit/leaves not a litter problem

Trunk and Branches

Trunk/bark/branches: branches droop; not showy;
typically one trunk; thorns

Pruning requirement: little required

Breakage: resistant

Current year twig color: brown

Current year twig thickness: medium

Wood specific gravity: 0.48

Culture

Light requirement: full sun, partial sun or partial shade

Soil tolerances: clay; sand; loam; slightly alkaline;
acidic; well-drained

Drought tolerance: moderate

Aerosol salt tolerance: unknown

Other

Roots: not a problem

Winter interest: yes

Outstanding tree: yes

Ozone sensitivity: tolerant

Verticillium wilt susceptibility: unknown

Pest resistance: free of serious pests and diseases

Use and Management

The large, six to 10-inch, yellow/green, deciduous leaves are lighter and fuzzy underneath and cast very dense shade below, making Cucumbertree ideal as a shade or specimen tree. The slightly fragrant, three-inch-wide flowers appear in May or early June but their greenish-yellow to yellow coloring causes them to become lost among the foliage. These blooms are followed by the production of four-inch-long, deep red fruits which somewhat resemble a cucumber in shape. The seeds of Cucumbertree are very popular with birds and other wildlife.

Many Magnolias have a root system which spreads more than other trees. This is thought to contribute to the poor growth following transplanting Magnolia from a field nursery. There is no problem planting from containers, provided adequate irrigation is given until established.

This tree is best on large estates and open-soil areas such as parks and golf courses or along either side of an

entrance road with plenty of soil space for root expansion. It does not tolerate the compacted, disturbed soils of urban areas. Be sure young trees receive adequate irrigation until the root system is well-established in loose, open soil.

A North American native, Cucumbertree grows in full sun or partial shade on well-drained soils, and should be protected from harsh, dry winds. In their native habitat, trees do best in slightly acidic soil along stream banks and on cool hillsides. Plants should not be exposed to prolonged flooding, drought, or too much pollution, but they will tolerate alkaline and wet soil quite well.

Although trees should be allowed to grow and develop naturally except for occasional removal of upright branches, any pruning which might be necessary should be done only after flowering so the flower display can be enjoyed.

The cultivar 'Variegata' has yellow-variegated leaves. Cucumbertree was used as a parent plant along with *Magnolia heptapeta* to produce the hybrid 'Elizabeth' which has a pyramidal shape and clear yellow, fragrant blooms.

Propagation is by seed or cuttings.

Pests and Diseases

No pests or diseases are of major concern but occasionally bothered by scale as are many other Magnolias.

¹ This document is ENH-528, one of a series of the UF/IFAS School of Forest, Fisheries, and Geomatics Sciences. Original publication date November 1993. Revised December 2006. Visit the Ask IFAS website at <https://ask.ifas.ufl.edu> for the currently supported version of this publication. © 2026 UF/IFAS. This publication is licensed under [CC BY-NC-ND 4.0](#)

² Edward F. Gilman, professor emeritus, Department of Environmental Horticulture; Dennis G. Watson, former associate professor, UF/IFAS Department of Agricultural and Biological Engineering, Gainesville, FL; UF/IFAS Extension, Gainesville, FL 32611.

The Institute of Food and Agricultural Sciences (IFAS) is an Equal Opportunity Institution authorized to provide research, educational information, and other services only to individuals and institutions that operate in compliance with applicable federal and state non-discrimination laws and policies. For more information on obtaining other UF/IFAS Extension publications, contact your county's UF/IFAS Extension office. U.S. Department of Agriculture, UF/IFAS Extension Service, University of Florida, IFAS, Florida A&M University Cooperative Extension Program, and Boards of County Commissioners Cooperating. Andra Johnson, Dean for UF/IFAS Extension.